

Art Unit: 1655

1. The reply filed on 11/6/2009 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): **applicant has elected the components on page 8 of their latest response but it does not read on for example claims 2, 3, 11-12, 20. Applicant was asked to clearly enumerate all of the components to be in the elected composition and applicant has not done that. Applicant must list each and every component to be in the elected composition and be readable on the claims elected and applicant needs to withdraw the claims that are not elected.** See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael V. Meller whose telephone number is 571-272-0967. The examiner can normally be reached on Monday thru Thursday: 9:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terry McKelvey can be reached on 571-272-0775. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1655

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael V. Meller  
Primary Examiner  
Art Unit 1655

/Michael V. Meller/  
Primary Examiner, Art Unit 1655